# Smart Electric Heating Solutions For Every Space

ecostrad

Product Catalogue 2023



Powering progress towards a greener future with our smart electric heating solutions

Ecostrad designs and manufactures market-leading electric heating products for a range of domestic and commercial settings. Our comprehensive suite of products includes WiFi-controlled ceramic core radiators, smart infrared heaters, heat-retentive designer electric radiators, sleek towel rails, and more. Easy installation, lengthy warranties and UK-based technical support all come as standard, guaranteeing top quality across the board.

# Now Available for Wholesale

The UK's most forward-thinking electric heating brand is available for wholesale. With a large UK stock holding, contact us to find out how you can access our extensive range of globally sourced, competitively priced products, designed and manufactured to capture the essence of 21st century living.

- ✓ No Large Stocking Required
- ✓ Latest Specification Products
- Robust Product Warranties
- Highly Competitive Prices
- ✓ UK-Based Technical Support & Training
- Extensive Sales & Marketing Support

# Benefits of choosing ecostrad



### World Class Customer Support

From initial enquiry to after-sales support, we are driven by our need to provide the very best customer service in the industry.



### Affordability Without Compromise

Our products are designed to be affordable without customers having to sacrifice control or aesthetics in the process.



### Carbon-Conscious Solutions

Our suite of Lot 20 approved electric heating products are primed for a carbon-free future, taking advantage of electricity's green potential.



### Ahead of the Curve

All of our solutions represent the latest technological advancements in electric heating and offer unrivalled control and efficiency.



### Contemporary Styles for Every Space

We take great care in providing products that are as stylish as they are functional.



### Ecostrad Ecosystem app

Our in-house heating app has been meticulously designed to deliver superior smart control via WiFi, streamlining energy usage in just a few taps. Learn more >









Smart
Electric
Heating
Solutions
For Every
Space

#### **Smart Electric Radiators & Panel Heaters Designer Electric Radiators** Allerton iQ 14 **German Electric Radiators Infrared Wall & Ceiling Heaters Electric Towel Rails** Fing-E 31 **Electric Patio Heaters**

# Smart Electric Radiators & Panel Heaters

These intelligent heaters meet the demanding pace of 21st century living with control systems that can respond in an instant. Offering features like WiFi connectivity, voice control and 24/7 programming, heating management has never been more intuitive.



WiFi App Control



Voice Control



Daily & Weekly **Programming** 



Maintenance Free




Touchscreen Display



10 Year Warranty










#### Ground-breaking, WiFi-controlled electric radiator

Heating deep into its core, the iQ Ceramic holds warmth over time to provide lasting comfort wherever it's installed. With integrated WiFi control, a motion sensor mode and large touchscreen interface, this smart electric radiator offers convenient programming for effortless integration into any space. An intelligent and highly efficient heating solution, the iQ Ceramic makes zero compromises.

Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish
iQ-C-05	425 x 567 x 80 mm	500w	Up to 5.5m²	8.8kg	White
iQ-C-B-05	425 x 567 x 80 mm	500w	Up to 5.5m²	8.8kg	Black
iQ-C-10	525 x 567 x 80 mm	1000w	Up to 11m²	11.25kg	White
iQ-C-B-10	525 x 567 x 80 mm	1000w	Up to 11m²	11.25kg	Black
iQ-C-15	625 x 567 x 80 mm	1500w	Up to 18m²	12.95kg	White
iQ-C-B-15	625 x 567 x 80 mm	1500w	Up to 18m²	12.95kg	Black
iQ-C-18	725 x 567 x 80 mm	1800w	Up to 22m²	14.8kg	White
iQ-C-B-18	725 x 567 x 80 mm	1800w	Up to 22m²	14.8kg	Black
iQ-C-20	825 x 567 x 80 mm	2000w	Up to 24.5m²	17.55kg	White
iQ-C-B-20	825 x 567 x 80 mm	2000w	Up to 24.5m²	17.55kg	Black





#### iQ Ceramic -Heat that's fast, Heat that lasts



Ceramic plates inside the radiator body provide optimum heat retention, allowing it to produce up to 50% of its warmth as long-lasting radiant heat. The iQ Ceramic reaches set temperatures quickly for responsive heating but is also slow to cool, keeping rooms comfortable using substantially less energy. Offering outstanding efficiency, the iQ Ceramic locks warmth deep into its core to provide heat even after the radiator has stopped drawing power.

#### ecostrad

#### iQ Ceramic **Product Features**

- Heat-Retentive Ceramic Stone Core
- In-Built WiFi Connectivity
- Alexa & Google Home Voice Control
- Motion Detection Mode
- Ultra-Slim 80mm Deep Housing
- Lockable Touchscreen Control Panel
- Daily & Weekly Programming
- Ecosystem App Compatible



WiFi Enabled









For further product information download an iQ Ceramic Datasheet

# **iQ Plus**<u>Product Features</u>

- Smart WiFi App Control
- Ultra-Slim 52mm Depth
- 24/7 Programming
- Silent TRIAC Digital Thermostat
- Low Surface Temperature Setting
- Comfort, Economy & Anti-Frost Modes
- Discreet Recessed Control Panel
- Open Window Detection



WiFi Enabled



Slimline Design



Lot 20 Compliant



Voice Control



For further product information download an **iQ Plus Datasheet** 









#### iQ Plus

The iQ Plus combines slimline, modern aesthetics with sophisticated WiFi app control. Sleek, lightweight and elegant, it integrates seamlessly into a range of interiors. Providing on-demand warmth and a wealth of energy-saving features, the iQ Plus is comfort heating reimagined.



5 Models Available



White

Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish
IQ-P5	467 x 500 x 52 mm	500w	Up to 5m²	4.8kg	White
iQ-P10	629 x 500 x 52 mm	1000w	Up to 10m²	6.1kg	White
IQ-P15	955 x 500 x 52 mm	1500w	Up to 15m²	8.87kg	White
IQ-P20	1118 x 500 x 52 mm	2000w	Up to 20m²	10.2kg	White
iQ-P25	1280 x 500 x 52 mm	2500w	Up to 25m²	11.65kg	White

# Designer Electric Radiators

Designer electric radiators add modern flair to any space, offering unique styling, high precision heating control and space-saving slimline designs. Boasting smooth curves, slimline designs and elegant finishes, these innovative electric heaters make natural additions to contemporary living spaces.



WiFi App Control



Contemporary Design



Daily & Weekly Programming



Maintenance Free



Touchscreen Display



10 Year Warranty












# On-the-go heat management

The smart way to manage your heating







- Easy to navigate interface
- Personalised heat schedules
- Control temperatures with ease





# ecostrad iQ WiFi Heating Element

#### The UK's first WiFi-controllable heating element

Offering effortless control, the Ecostrad iQ WiFi element lets you manage and monitor your heating from anywhere in the world. It gives you access to a range of energy-saving functions including 24/7 programming, so you can set custom heat schedules on an hourly basis, all from the intuitive interface of your smartphone.























#### Adesso iQ





#### Cutting-edge control paired with faultless design

The Adesso iQ is one of our slimmest electric radiators yet. It comes with full WiFi control, compatible with the Ecostrad Ecosystem app and supplies an even distribution of warmth through its heat-retentive, oil-filled body. With horizontal and vertical models available, the Adesso iQ offers complete versatility.



#### Size (WxHxD) Weight Model Wattage **Heat Area Finish** AD-iQ-VW10 390 x 1600 x 30 mm Up to 10m<sup>2</sup> 34.3kg 1000w White AD-iQ-VB10 390 x 1600 x 30 mm 1000w Up to 10m<sup>2</sup> 34.3kg Black AD-iQ-VW12 490 x 1600 x 30 mm 1200w Up to 12m<sup>2</sup> 42.9kg White Up to 12m<sup>2</sup> 42.9kg AD-iQ-VB12 490 x 1600 x 30 mm 1200w Black

Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish
AD-iQ-HW4	390 x 600 x 30 mm	300w	Up to 3m²	13.3kg	White
AD-iQ-HB4	390 x 600 x 30 mm	300w	Up to 3m²	13.3kg	Black
AD-iQ-HW6	590 x 600 x 30 mm	600w	Up to 5m²	20.1kg	White
AD-iQ-HB6	590 x 600 x 30 mm	600w	Up to 5m²	20.1kg	Black
AD-iQ-HW8	790 x 600 x 30 mm	800w	Up to 7.5m²	26.8kg	White
AD-iQ-HB8	790 x 600 x 30 mm	800w	Up to 7.5m²	26.8kg	Black
AD-iQ-HW10	990 x 600 x 30 mm	1000w	Up to 10m²	34kg	White
AD-iQ-HB10	990 x 600 x 30 mm	1000w	Up to 10m²	34kg	Black
AD-iQ-HW12	1190 x 600 x 30 mm	1200w	Up to 12m²	40.8kg	White
AD-iQ-HB12	1190 x 600 x 30 mm	1200w	Up to 12m²	40.8kg	Black

Adesso iQ // Horizontal Models



#### ecostrad

## **Adesso iQ**Product Features

- Intuitive WiFi App Control
- Heat-Retentive Oil-Filled Body
- Intelligent Controllable Heating Element
- Precise Thermostat Accurate to  $\pm$  0.5 °C
- 24/7 Programming via App
- Open Window Detection
- Comfort & Eco Mode
- Multiple Styles & Finishes



**Ecosystem Compatible** 



Slimline Design



Lot 20 Compliant



**Weekly Programming** 



For further product information download an Adesso iQ Datasheet











Allerton iQ

Traditionally designed with a modern edge





The Allerton iQ is a traditional radiator with a contemporary twist. Its bespoke column build expertly utilises its heat-retentive thermal fluid to deliver highly efficient, long-lasting warmth. With low styles available, there's a size to match every space.


#### Allerton iQ // Low Models

Model	Size (WxHxD)	Wattage	Heat Area	Weight	Column	Finish
AT-LD-11W	1190 x 300 x 69 mm	1000w	Up to 7m²	24.9kg	Double	White
AT-LD-11A	1190 x 300 x 69 mm	1000w	Up to 7m²	24.9kg	Double	Anthracite
AT-LT-8W	830 x 300 x 100 mm	1000w	Up to 7m²	24.6kg	Triple	White
AT-LT-8A	830 x 300 x 100 mm	1000w	Up to 7m²	24.6kg	Triple	Anthracite
AT-LT-11W	1190 x 300 x 100 mm	1200w	Up to 10m²	35.2kg	Triple	White
AT-LT-11A	1190 x 300 x 100 mm	1200w	Up to 10m²	35.2kg	Triple	Anthracite



#### Allerton iQ // Horizontal Models

Model	Size (WxHxD)	Wattage	Heat Area	Weight	Column	Finish
AT-HD-6W	605 x 600 x 69 mm	600w	Up to 6m²	22.7kg	Double	White
AT-HD-6A	605 x 600 x 69 mm	600w	Up to 6m²	22.7kg	Double	Anthracite
AT-HD-11W	1190 x 600 x 69 mm	1500w	Up to 12m²	44.5kg	Double	White
AT-HD-11A	1190 x 600 x 69 mm	1500w	Up to 12m²	44.5kg	Double	Anthracite
AT-HT-6W	605 x 600 x 100 mm	600w	Up to 8m²	33.3kg	Triple	White
AT-HT-6A	605 x 600 x 100 mm	600w	Up to 8m²	33.3kg	Triple	Anthracite



#### ecostrad

#### Allerton iQ Product Features

- Intuitive WiFi App Control
- Heat-Retentive Oil-Filled Body
- Intelligent Controllable Heating Element
- Precise Thermostat Accurate to  $\pm$  0.5 °C
- 24/7 Programming via App
- Open Window Detection
- Comfort & Eco Mode
- Multiple Styles & Finishes





Ecosystem Compatible Double or Triple Column

LOT \_/



Lot 20 Compliant

**Weekly Programming** 



For further product information download an **Allerton iQ Datasheet** 











Allora iQ






#### **Smart Electric** Heating with a Designer Edge




The Allora iQ uses unique Fast-Flo technology for superior heat distribution. Fitted with the Ecostrad iQ WiFi Element, it's compatible with WiFi control through the Ecosystem app, for convenient heat management. The space-saving vertical models offer a single panel frame or double panel frame for increased heat.



Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish
AL-iQ-VS16W	236 x 1600 x 57 mm	800w	Up to 4m²	15.27kg	White
AL-iQ-VS16A	236 x 1600 x 57 mm	800w	Up to 4m²	15.27kg	Anthracite
AL-iQ-VS17W	236 x 1780 x 57 mm	800w	Up to 6m²	16.78kg	White
AL-iQ-VS17A	236 x 1780 x 57 mm	800w	Up to 6m²	16.78kg	Anthracite
AL-iQ-VD16W	236 x 1600 x 79 mm	1200w	Up to 7m²	29.33kg	White
AL-iQ-VD16A	236 x 1600 x 79 mm	1200w	Up to 7m²	29.33kg	Anthracite
AL-iQ-VD17W	236 x 1780 x 79 mm	1200w	Up to 8m²	32.42kg	White
AL-iQ-VD17A	236 x 1780 x 79 mm	1200w	Up to 8m²	32.42kg	Anthracite

Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish
AL-iQ-H41W	415 x 635 x 57 mm	300w	Up to 3.5m²	11.7kg	White
AL-iQ-H41A	415 x 635 x 57 mm	300w	Up to 3.5m²	11.7kg	Anthracite
AL-iQ-H59W	595 x 635 x 57 mm	600w	Up to 5.5m²	15.2kg	White
AL-iQ-H59A	595 x 635 x 57 mm	600w	Up to 5.5m²	15.2kg	Anthracite
AL-iQ-H83W	834 x 635 x 57 mm	1000w	Up to 8m²	23.41kg	White
AL-iQ-H83A	834 x 635 x 57 mm	1000w	Up to 8m²	23.41kg	Anthracite
AL-iQ-H100W	1000 x 635 x 57 mm	1000w	Up to 10m²	28.15kg	White
AL-iQ-H100A	1000 x 635 x 57 mm	1000w	Up to 10m²	28.15kg	Anthracite
AL-iQ-H118W	1180 x 635 x 57 mm	1200w	Up to 11.5m²	33.17kg	White
AL-iQ-H118A	1180 x 635 x 57 mm	1200w	Up to 11.5m²	33.17kg	Anthracite





#### Allora iQ **Product Features**

- Intuitive WiFi App Control
- Unique Fast-Flo Technology
- Heat-Retentive Oil-Filled Body
- Intelligent Controllable Heating Element
- Comfort & Eco Mode
- Precise Thermostat Accurate to ± 0.5 °C
- 24/7 Programming via App
- Open Window Detection



**Ecosystem Compatible** 



Slimline Design



Lot 20 Compliant



**Weekly Programming** 



For further product information download an Allora iQ Datasheet

#### Ascoli iQ **Product Features**

- Intuitive WiFi App Control
- Unique Fast-Flo Technology
- Heat-Retentive Oil-Filled Body
- Intelligent Controllable Heating Element
- Comfort & Eco Mode
- Precise Thermostat Accurate to ± 0.5 °C
- 24/7 Programming via App
- Open Window Detection



**Ecosystem Compatible** 



Slimline Design




Lot 20 Compliant



**Weekly Programming** 



For further product information download an Ascoli iQ Datasheet









#### Ascoli iQ

Blending modern style with smart control, the Ecostrad Ascoli iQ offers both superior form and function. This oil-filled electric radiator uses efficient Fast-Flo technology to create effective designer heating that you can rely on.





White





Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish
AS-iQ-42W	420 x 635 x 50 mm	300w	Up to 3.5m²	10.98kg	White
AS-iQ-42A	420 x 635 x 50 mm	300w	Up to 3.5m²	10.98kg	Anthracite
AS-iQ-63W	630 x 635 x 50 mm	600w	Up to 5.5m²	16.25kg	White
AS-iQ-63A	630 x 635 x 50 mm	600w	Up to 5.5m²	16.25kg	Anthracite
AS-iQ-84W	840 x 635 x 50 mm	800w	Up to 7m²	21.6kg	White
AS-iQ-84A	840 x 635 x 50 mm	800w	Up to 7m²	21.6kg	Anthracite
AS-iQ-98W	980 x 635 x 50 mm	800w	Up to 8m²	25.3kg	White
AS-iQ-98A	980 x 635 x 50 mm	800w	Up to 8m²	25.3kg	Anthracite
AS-iQ-119W	1190 x 635 x 50 mm	1000w	Up to 10m²	30.75kg	White
AS-iQ-119A	1190 x 635 x 50 mm	1000w	Up to 10m²	30.75kg	Anthracite

# German Electric Radiators

Representing the very highest manufacturing quality, German electric radiators are world-class room heating solutions, crafted by experts with exceptional care. Built with a keen attention to detail at every stage of the process, from their initial design all the way to the final product, they're a popular solution for homes and businesses alike. Practical and efficient in equal measure, they come with energy-saving control features and precision room thermostats as standard.







Traditional Design



Daily & Weekly Programming



Maintenance Free



Hardwire or Plug & Go



5 Year Warranty












#### Ecowärme





#### High-quality heating that fits seamlessly into your home

Ceramic plates inside the Ecowärme provide extra heat retention, keeping rooms warm using less energy. Extra-deep fins on the front surface maximise contact with the air to quickly and efficiently bring rooms up to temperature.

# Ceramic stone heating technology

The Ecowarme is the best of both worlds, offering quick convected heat using heating elements in the base, as well as a more enduring radiant heat from its ceramic stone plates.




Improved Efficiency with Heat-Retentive Tablets



Quick & Responsive Heating



Slower Cool-Down Time




The deep pleats on the Ecowärme maximise its surface area for greater contact with the air, allowing quick and effective heat transfer that warms spaces with ease. These fins aren't just for enhanced efficiency – they also give the Ecowärme a timeless aesthetic that perfectly matches central heating radiators.



#### Ecowärme **Product Features**

- Energy-Efficient Heating Technology
- Heat-Retentive Composite Ceramic
- Easy-to-Use Control Panel
- 24/7 Digital Programmer
- 3 Heater Modes & Timer
- Open Window Detection
- Adaptive Start Function
- Traditional Fluted Design







Hardwire or Plug & Go



Lot 20 Compliant



**Weekly Programming** 



For further product information download an Ecowärme Datasheet



Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish
EW10V	380 x 1240 x 70 mm	1000w	Up to 10m²	25.5kg	White
EW10VA	380 x 1240 x 70 mm	1000w	Up to 10m²	25.5kg	Anthracite
EW12V	380 x 1240 x 70 mm	1200w	Up to 12m²	25.5kg	White
EW12VA	380 x 1240 x 70 mm	1200w	Up to 12m²	25.5kg	Anthracite

Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish
EW5	380 x 630 x 70 mm	500w	Up to 5m²	10kg	White
EW5A	380 x 630 x 70 mm	500w	Up to 5m²	10kg	Anthracite
EW10H	680 x 630 x 70 mm	1000w	Up to 10m²	16.5kg	White
EW10HA	680 x 630 x 70 mm	1000w	Up to 10m²	16.5	Anthracite
EW15	980 x 630 x 70 mm	1500w	Up to 15m²	23.5kg	White
EW15A	980 x 630 x 70 mm	1500w	Up to 15m²	23.5kg	Anthracite
EW20	980 x 630 x 70 mm	2000w	Up to 20m²	23.5kg	White
EW20A	980 x 630 x 70 mm	2000w	Up to 20m²	23.5kg	Anthracite





# Infrared Wall & Ceiling Heaters

Efficient, effective and sophisticated, infrared heaters are one of the best ways to keep your property warm. They make for a superior heating solution, supplying natural warmth directly to you and the fabric of your property, for heat you can feel on a deeper level. Available in a variety of designs with the option of wall or ceiling mounted fittings, they are uniquely versatile, and make effective heating solutions for homes and businesses.







Slimline Design



Energy Efficient Far Infrared



Smart Speaker Compatible



Wall & Ceiling Models Available



5 Year Warranty



#### **Accent IR Product Features**

- Comfortable Far Infrared Heat
- Programmable Remote Included
- Adaptive Start Function
- Open Window Detection
- Slimline 22mm Deep Body
- Digital Thermostat Accurate to 0.5 °C
- In-Built Overheat Protection
- Wall & Ceiling Mounted Options



Remote Control



Slimline Design



Lot 20 Compliant



**Weekly Programming** 




For further product information download an Accent IR Datasheet





Lightweight and discreetly designed, the Accent IR makes for a low-key heating option for domestic and commercial properties. Available as wall and ceiling mounted heaters, it's easy to find the perfect fitting for your space.



8 Models Available


Model	Size (WxHxD)	Wattage	Heat Area	Weight	Mounting
A606-IR	605 x 605 x 22 mm	350w	Up to 7m²	4.2kg	Wall
A906-IR	905 x 605 x 22 mm	580w	Up to 11m²	5.7kg	Wall
A1206-IR	1205 x 605 x 22 mm	700w	Up to 14m²	7.2kg	Wall
A1209-IR	1205 x 905 x 22 mm	1100w	Up to 22m²	10.8kg	Wall
A606-IRC	595 x 595 x 22 mm	270w	Up to 5m²	4.2kg	Ceiling
A906-IRC	905 x 605 x 22 mm	400w	Up to 8m²	5.7kg	Ceiling
A1206-IRC	1205 x 605 x 22 mm	550w	Up to 11m²	7.2kg	Ceiling
A1209-IRC	1205 x 905 x 22 mm	800w	Up to 16m²	10.8kg	Ceiling





#### Accent iQ

Modern lifestyles need a modern heating system to match and this is where the Ecostrad Accent iQ infrared panel really shines. This affordable smart heater is WiFi ready, voice control compatible and provides reliable heating throughout the day, all from one ultra-slim body.



8 Models Available

Model	Size (WxHxD)	Wattage	Heat Area	Weight	Mounting
A606-IQ	605 x 605 x 22 mm	350w	Up to 7m²	4.2kg	Wall
A906-IQ	905 x 605 x 22 mm	580w	Up to 11m²	5.7kg	Wall
A1206-IQ	1205 x 605 x 22 mm	700w	Up to 14m²	7.2kg	Wall
A1209-IQ	1205 x 905 x 22 mm	1100w	Up to 22m²	10.8kg	Wall
A606-IQC	595 x 595 x 22 mm	270w	Up to 5m²	4.2kg	Ceiling
A906-IQC	905 x 605 x 22 mm	400w	Up to 8m²	5.7kg	Ceiling
A1206-IQC	1205 x 605 x 22 mm	550w	Up to 11m²	7.2kg	Ceiling
A1209-IQC	1205 x 905 x 22 mm	800w	Up to 16m²	10.8kg	Ceiling

#### ecostrad

#### Accent iQ **Product Features**

- Comfortable Far Infrared Heat
- Integrated WiFi Distance Control
- Alexa & Google Assistant Compatible
- Slimline 22mm Deep Body
- Digital Thermostat Accurate to 0.5 °C
- In-Built Overheat Protection
- 24/7 Programming via App
- Wall & Ceiling Mounted Options



WiFi Enabled



Slimline Design



Lot 20 Compliant



**Weekly Programming** 



For further product information download an Accent iQ Datasheet

# **Opus IR**Product Features

- Comfortable Far Infrared Heat
- Programmable Remote Included
- Adaptive Start Function
- Open Window Detection
- Slimline 25mm Deep Body
- Digital Thermostat Accurate to 0.5 °C
- Insulated for Increased Efficiency
- Wall & Ceiling Mounted Options



Remote Control



Slimline Design



Lot 20 Compliant



**Weekly Programming** 




For further product information download an **Opus IR Datasheet** 





#### Opus IR

The Ecostrad Opus IR Infrared Panel blends energy-efficient heating with luxury aesthetics, easily complementing any interior, no matter where it's installed.



10 Models Available


Model	Size (WxHxD)	Wattage	Heat Area	Weight	Mounting
O606-IR	595 x 595 x 25 mm	350w	Up to 7m²	5.7kg	Wall
O706-IR	705 x 605 x 25 mm	450w	Up to 9m²	6.4kg	Wall
O1006-IR	1005 x 605 x 25 mm	580w	Up to 11m²	8.6kg	Wall
O1207-IR	1205 x 755 x 25 mm	900w	Up to 18m²	12.8kg	Wall
O1209-IR	1205 x 905 x 25 mm	1100w	Up to 22m²	15.9kg	Wall
O606-IRC	595 x 595 x 25 mm	270w	Up to 5m²	5.7kg	Ceiling
O706-IRC	705 x 605 x 25 mm	320w	Up to 6m²	6.4kg	Ceiling
O1006-IRC	1005 x 605 x 25 mm	450w	Up to 9m²	8.6kg	Ceiling
O1207-IRC	1205 x 755 x 25 mm	700w	Up to 14m²	12.8kg	Ceiling
O1209-IRC	1205 x 905 x 25 mm	800w	Up to 16m²	15.9kg	Ceiling





#### Opus iQ

An ultra slimline and frameless body makes the Opus iQ the essential discreet heating solution. Delivering long-lasting radiant heat, this smart infrared panel comes WiFi ready and voice control compatible, for convenient heat management 24/7.



10 Models Available

Model	Size (WxHxD)	Wattage	Heat Area	Weight	Mounting
O606-IQ	595 x 595 x 25 mm	350w	Up to 7m²	5.7kg	Wall
O706-IQ	705 x 605 x 25 mm	450w	Up to 9m²	6.4kg	Wall
O1006-IQ	1005 x 605 x 25 mm	580w	Up to 11m²	8.6kg	Wall
O1207-IQ	1205 x 755 x 25 mm	900w	Up to 18m²	12.8kg	Wall
O1209-IQ	1205 x 905 x 25 mm	1100w	Up to 22m²	15.9kg	Wall
O606-IQC	595 x 595 x 25 mm	270w	Up to 5m²	5.7kg	Ceiling
O706-IQC	705 x 605 x 25 mm	320w	Up to 6m²	6.4kg	Ceiling
O1006-IQC	1005 x 605 x 25 mm	450w	Up to 9m²	8.6kg	Ceiling
O1207-IQC	1205 x 755 x 25 mm	700w	Up to 14m²	12.8kg	Ceiling
O1209-IQC	1205 x 905 x 25 mm	800w	Up to 16m²	15.9kg	Ceiling

#### ecostrad

#### Opus iQ **Product Features**

- Comfortable Far Infrared Heat
- WiFi Distance Control
- Alexa & Google Assistant Compatible
- Slimline 25mm Deep Body
- Digital Thermostat Accurate to 0.5 °C
- In-Built Overheat Protection
- 24/7 Programming via App
- Wall & Ceiling Mounted Options



WiFi Enabled



Slimline Design



Lot 20 Compliant



**Weekly Programming** 



For further product information download an Opus iQ Datasheet

## **Thermostrip**Product Features

- Discreet, Zero Light Heating
- For Hard-to-Heat Lofty Interiors
- No Glare Wire Filament Heater
- Mellow Comfort Heating
- Elegant Contemporary Design
- Wall or Ceiling Mounted Options
- Weatherproof IP65 Protection
- Programmable with External Thermostat







Manual Control



No Glare Heating



DIY Installation



For further product information download a Thermostrip Datasheet





#### Thermostrip

The Ecostrad Thermostrip offers discreet heating for any lofty, hard-to-heat interior. Whether you need to keep a busy workshop warm, heat a spacious barn conversion, or satisfy customers in an open-plan dining room, look no further than the Ecostrad Thermostrip.

Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish
EcoStrip18	1200 x 154 x 70 mm	1800w	Up to 10m²	4.9kg	Black
EcoStrip24	1480 x 154 x 70 mm	2400w	Up to 18m²	6.2kg	Black
EcoStrip32	1852 x 154 x 70 mm	3200w	Up to 24m²	7.7kg	Black



3 Models Available

# Electric Towel Rails

Providing a two-in-one solution, electric towel rails dry your towels whilst providing bathrooms with comfortable warmth. Independently controlled, they're an economical solution for when full home heating isn't required. Pair with one of three control options and choose from a range of styles and finishes – at Ecostrad, we have a towel rail to suit every space.



WiFi App Control



Contemporary Design



Daily & Weekly Programming




Elegant Bathroom Heating



Dual Room & Radiator Thermostats



5 Year Warranty



# Electric Towel Rail Control Types

Our electric towel rails come with three different levels of control. Stemming from basic manual programming to innovative WiFi app control, our sophisticated heating elements come in tow with a wealth of energy-saving features.



#### **Basic** Control

Simple on/off operation for hassle-free warmth, ideal for use on an ad-hoc basis.



#### **Thermostatic** Control

Fitted with a digital thermostat accurate to 0.5°C, for precise temperature management.



#### iQ WiFi Control

Connect to the Ecosystem app and make remote changes from anywhere with an internet connection.










Fina-E



A timeless staple for bathrooms large and small

Classically designed with a choice of four colourways, the Fina-E electric towel rail is the essential dual-purpose bathroom heater. With the option of basic, thermostatic and WiFi programming, the Fina-E is as adaptable as it is stylish.





Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish	Control
FE-11-2C	300 x 1100 x 30 mm	200w	Up to 1.5m²	7.1kg	Chrome	Basic
FE-T-11-2C	300 x 1100 x 30 mm	200w	Up to 1.5m²	7.1kg	Chrome	Thermostatic
FE-iQ-11-2C	300 x 1100 x 30 mm	200w	Up to 1.5m²	7.1kg	Chrome	iQ WiFi
FE-7-2A	400 x 700 x 30 mm	200w	Up to 2.5m²	5.9kg	Anthracite	Basic
FE-T-7-2A	400 x 700 x 30 mm	200w	Up to 2.5m²	5.9kg	Anthracite	Thermostatic
FE-iQ-7-2A	400 x 700 x 30 mm	200w	Up to 2.5m²	5.9kg	Anthracite	iQ WiFi
FE-7-2C	400 x 700 x 30 mm	200w	Up to 2.5m²	5.9kg	Chrome	Basic
FE-T-7-2C	400 x 700 x 30 mm	200w	Up to 2.5m²	5.9kg	Chrome	Thermostatic
FE-iQ-7-2C	400 x 700 x 30 mm	200w	Up to 2.5m²	5.9kg	Chrome	iQ WiFi
FE-7-2W	400 x 700 x 30 mm	200w	Up to 2.5m²	5.9kg	White	Basic
FE-T-7-2W	400 x 700 x 30 mm	200w	Up to 2.5m²	5.9kg	White	Thermostatic
FE-iQ-7-2W	400 x 700 x 30 mm	200w	Up to 2.5m²	5.9kg	White	iQ WiFi
FE-8-2A	500 x 800 x 30 mm	200w	Up to 2.5m²	7.6kg	Anthracite	Basic
FE-T-8-2A	500 x 800 x 30 mm	200w	Up to 2.5m²	7.6kg	Anthracite	Thermostatic
FE-iQ-8-2A	500 x 800 x 30 mm	200w	Up to 2.5m²	7.6kg	Anthracite	iQ WiFi
FE-8-2B	500 x 800 x 30 mm	200w	Up to 2.5m²	7.6kg	Black	Basic
FE-T-8-2B	500 x 800 x 30 mm	200w	Up to 2.5m²	7.6kg	Black	Thermostatic
FE-iQ-8-2B	500 x 800 x 30 mm	200w	Up to 2.5m²	7.6kg	Black	iQ WiFi
FE-8-2C	500 x 800 x 30 mm	200w	Up to 2.5m²	7.6kg	Chrome	Basic
FE-T-8-2C	500 x 800 x 30 mm	200w	Up to 2.5m²	7.6kg	Chrome	Thermostatic
FE-iQ-8-2C	500 x 800 x 30 mm	200w	Up to 2.5m²	7.6kg	Chrome	iQ WiFi
FE-11-3A	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	Anthracite	Basic
FE-T-11-3A	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	Anthracite	Thermostatic
FE-iQ-11-3A	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	Anthracite	iQ WiFi

Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish	Control
FE-11-3B	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	Black	Basic
FE-T-11-3B	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	Black	Thermostatic
FE-iQ-11-3B	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	Black	iQ WiFi
FE-11-3C	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	Chrome	Basic
FE-T-11-3C	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	Chrome	Thermostatic
FE-iQ-11-3C	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	Chrome	iQ WiFi
FE-11-3CC	500 x 1100 x 46 mm	300w	Up to 3.5m²	11.8kg	Curved Chrome	Basic
FE-T-11-3CC	500 x 1100 x 46 mm	300w	Up to 3.5m²	11.8kg	Curved Chrome	Thermostatic
FE-iQ-11-3CC	500 x 1100 x 46 mm	300w	Up to 3.5m²	11.8kg	Curved Chrome	iQ WiFi
FE-11-3W	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	White	Basic
FE-T-11-3W	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	White	Thermostatic
FE-iQ-11-3W	500 x 1100 x 30 mm	300w	Up to 3.5m²	11.8kg	White	iQ WiFi
FE-12-4A	500 x 1200 x 30 mm	400w	Up to 4m²	11.3kg	Anthracite	Basic
FE-T-12-4A	500 x 1200 x 30 mm	400w	Up to 4m²	11.3kg	Anthracite	Thermostatic
FE-iQ-12-4A	500 x 1200 x 30 mm	400w	Up to 4m²	11.3kg	Anthracite	iQ WiFi
FE-12-4B	500 x 1200 x 30 mm	400w	Up to 4m²	11.3kg	Black	Basic
FE-T-12-4B	500 x 1200 x 30 mm	400w	Up to 4m²	11.3kg	Black	Thermostatic
FE-iQ-12-4B	500 x 1200 x 30 mm	400w	Up to 4m²	11.3kg	Black	iQ WiFi
FE-12-4W	500 x 1200 x 30 mm	400w	Up to 4m²	11.3kg	White	Basic
FE-T-12-4W	500 x 1200 x 30 mm	400w	Up to 4m²	11.3kg	White	Thermostatic
FE-iQ-12-4W	500 x 1200 x 30 mm	400w	Up to 4m²	11.3kg	White	iQ WiFi
FE-15-6C	500 x 1500 x 30 mm	600w	Up to 6m²	15.4kg	Chrome	Basic
FE-T-15-6C	500 x 1500 x 30 mm	600w	Up to 6m²	15.4kg	Chrome	Thermostatic
FE-iQ-15-6C	500 x 1500 x 30 mm	600w	Up to 6m²	15.4kg	Chrome	iQ WiFi

#### Fina-E **Product Features**

- Smart WiFi App Control
- 24/7 Programming via App
- Android & iOS Compatible
- Discreet Touchscreen Interface
- Open Window Detection
- Low Surface Temperature Setting
- Intelligent Controllable Heating Element
- Heat-Retentive Thermal Oil





Multiple Control Options Elegant Ladder Design






Lot 20 Compliant

Stylish Colours & Finishes



For further product information download a Fina-E Datasheet



#### Cube **Product Features**


- Smart WiFi App Control
- 24/7 Programming via App
- Android & iOS Compatible
- Discreet Touchscreen Interface
- Open Window Detection
- Comfort & Eco Mode
- Low Surface Temperature Setting
- Heat-Retentive Thermal Oil



For further product information download a Cube Datasheet


#### Cube

With a designer rung-ladder build and available in eye-catching chrome or anthracite, the Cube is the ideal addition to bathrooms. Pre-filled with a heatretentive thermal fluid, the Cube provides comfortable and long-lasting warmth year-round, with three control options for ultimate user convenience.



Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish	Control
CU-40-C	500 x 800 x 52 mm	400w	Up to 3m²	12.4kg	Chrome	Basic
CU-T-40-C	500 x 800 x 52 mm	400w	Up to 3m²	12.4kg	Chrome	Thermostatic
CU-iQ-40-C	500 x 800 x 52 mm	400w	Up to 3m²	12.4kg	Chrome	iQ WiFi
CU-40-A	500 x 800 x 52 mm	400w	Up to 3m²	12.4kg	Anthracite	Basic
CU-T-40-A	500 x 800 x 52 mm	400w	Up to 3m²	12.4kg	Anthracite	Thermostatic
CU-iQ-40-A	500 x 800 x 52 mm	400w	Up to 3m²	12.4kg	Anthracite	iQ WiFi
CU-60-C	500 x 1200 x 52 mm	600w	Up to 5m²	18kg	Chrome	Basic
CU-T-60-C	500 x 1200 x 52 mm	600w	Up to 5m²	18kg	Chrome	Thermostatic
CU-iQ-60-C	500 x 1200 x 52 mm	600w	Up to 5m²	18kg	Chrome	iQ WiFi
CU-60-A	500 x 1200 x 52 mm	600w	Up to 5m²	18kg	Anthracite	Basic
CU-T-60-A	500 x 1200 x 52 mm	600w	Up to 5m²	18kg	Anthracite	Thermostatic
CU-iQ-60-A	500 x 1200 x 52 mm	600w	Up to 5m²	18kg	Anthracite	iQ WiFi

Dry towels and heat bathrooms in style with the Scala electric towel rail. Its designer ladder build is elevated with a contemporary edge: choose between classic chrome or sleek anthracite for premium bathroom heating. With three levels of control on offer, the Scala is primed for modern living.



Model	Size (WxHxD)	Wattage	Heat Area	Weight	Finish	Control
SC-40-C	500 x 800 x 42 mm	400w	Up to 3m²	11.1kg	Chrome	Basic
SC-T-40-C	500 x 800 x 42 mm	400w	Up to 3m²	11.1kg	Chrome	Thermostatic
SC-iQ-40-C	500 x 800 x 42 mm	400w	Up to 3m²	11.1kg	Chrome	iQ WiFi
SC-40-A	500 x 800 x 42 mm	400w	Up to 3m²	11.1kg	Anthracite	Basic
SC-T-40-A	500 x 800 x 42 mm	400w	Up to 3m²	11.1kg	Anthracite	Thermostatic
SC-iQ-40-A	500 x 800 x 42 mm	400w	Up to 3m²	11.1kg	Anthracite	iQ WiFi
SC-60-C	500 x 1200 x 42 mm	600w	Up to 5m²	17.5kg	Chrome	Basic
SC-T-60-C	500 x 1200 x 42 mm	600w	Up to 5m²	17.5kg	Chrome	Thermostatic
SC-iQ-60-C	500 x 1200 x 42 mm	600w	Up to 5m²	17.5kg	Chrome	iQ WiFi
SC-60-A	500 x 1200 x 42 mm	600w	Up to 5m²	17.5kg	Anthracite	Basic
SC-T-60-A	500 x 1200 x 42 mm	600w	Up to 5m²	17.5kg	Anthracite	Thermostatic
SC-iQ-60-A	500 x 1200 x 42 mm	600w	Up to 5m²	17.5kg	Anthracite	iQ WiFi



#### ecostrad

## **Scala**Product Features

- Smart WiFi App Control
- 24/7 Programming via App
- Android & iOS Compatible
- Discreet Touchscreen Interface
- Open Window Detection
- Comfort & Eco Mode
- Low Surface Temperature Setting
- Heat-Retentive Thermal Oil



For further product information download a Scala Datasheet



# Electric Patio Heaters

Infrared patio heaters provide direct infrared warmth to offset the sensation of colder temperatures outdoors. Suitable for both domestic and commercial settings including gardens, terraces and alfresco dining areas – they provide effective heat in an instant with no extra preparation needed. If you're searching for effective heating outside, look no further than our range of patio heaters.







Contemporary Designs



Reliable Infrared Warmth



Instant Outdoor Heating




Wall & Ceiling Mounted Installation




1-2 Year Warranty













#### Heatglo

- Instant Radiant Warmth
- Ultra-Low Glare Amber Bulb
- · Simple On/Off Switch



Heatglo Datasheet



#### Solaglo

- · Instant Radiant Warmth
- · Ultra-Low Glare Heating
- · Manual On/Off Switch



Solaglo Datasheet



#### Apex

- · Mediumwave Infrared
- · Ultra-Low Glare Heating
- · Remote Control Available



Apex Datasheet



#### Sunglo

- Instant Radiant Warmth
- · Remote Control Included
- Efficient 2-Stage Heat



Sunglo Datasheet

#### Cirrus



- · Mediumwave Infrared
- · Long-Life Carbon Fibre Bulb
- Point & Press Remote



Cirrus Datasheet



#### Thermaglo

- Mediumwave Infrared
- · 4 Heat Levels & Timer
- · Point & Press Remote



Thermaglo Datasheet

Patio Heater	Model	Size (WxHxD)	Wattage	Heat Area	Weight	Remote	Finish
Apex	Apex18	740 x 162 x 154 mm	1800w	Up to 10m²	4.1kg	No	Black
Apex	Apex18-R	740 x 162 x 154 mm	1800w	Up to 10m²	4.1kg	Yes	Black
Cirrus	Cirrus24-R	1000 x 190 x 135 mm	2400w	Up to 13.5m²	4.8kg	Yes	Silver
Heatglo	Heatglo	470 x 150 x 85 mm	2000w	Up to 9m²	2.1kg	No	Black
Solaglo	Solaglo	492 x 150 x 72 mm	2000w	Up to 9m²	1.4kg	No	Silver
Sunglo	Sunglo	623 x 110 x 70 mm	2000w	Up to 9m²	1.8kg	Yes	Silver
Sunglo	Sunglo-B	623 x 110 x 70 mm	2000w	Up to 9m²	1.8kg	Yes	Black
Thermaglo	Thermaglo	900 x 130 x 89.5 mm	2000w	Up to 9m²	3kg	Yes	Black







#### **Electric Patio Heater Product Features**

- Energy-Efficient Heating Technology
- Robust Infrared Warmth
- Remote Controlled Options Available
- Straightforward Outdoor Heating
- Weatherproof IP Ratings
- Wall or Ceiling Mounted Installation
- 1-2 Years Manufacturer's Warranty





Multiple Control Options Hardwire or Plug & Go





Lasting Infrared Heat

Lot 20 Compliant





Variable Heat Outputs

Zero Obtrusive Glare

+44 (0)330 880 7005

UK based helpline open 9:00am - 5:00pm Monday to Friday