



Scala

Electric Towel Rail

The Ecostrad Scala Electric Towel Rail is traditionally designed with a modern edge. Finished in eye-catching chrome or anthracite, its slimline frame provides even and long-lasting heat – for elegance as well as efficiency. Whether used for simple towel drying or advanced whole-room heating, the Scala's choice of three high-quality elements adapts to your preferences and bathroom heating needs perfectly.




Stylish, Slimline
Design



Three Control
Options Available



Suitable for
Bathrooms



Room Heating &
Towel Drying



WiFi App
Available



5 Year Warranty



Technical Details

Design	40x10 mm. Steel
Colours	Chrome, Anthracite
Element	Ecostrad Standard, Ecostrad Velto Thermostatic or Ecostrad TriQ WiFi element. Left or right side. Arrives separately.
Installation	Body: Brackets can be installed DIY. Element: Hardwired professional installation only.
Warranty	5 years on towel rail body, 2 years on electronics
Certifications	CE UK CA



1.



2.



3.

Towel Rail Control Options

Ecostrad Scala Electric Towel Rails can be paired with one of three heating elements, to ensure the perfect control for your bathroom's heating needs.

1. Basic Control

This element heats to a constant, non-adjustable set temperature, making it ideal for connecting to a simple on/off switch or an external heating controller.

- Overheating Protection
- Heats to an internal temperature of 65 °C
- Perfect for External Control
- IP68 Rating for Superior Water Protection
- 2 Year Guarantee

Control Head Dimensions	34x28x28 (HxWxD)
Colours	Chrome, Anthracite
Flex	1.2m cable, left or right side, depending on where element is installed. Element arrives separately.
Installation	Hardwired professional installation only. No fitted plug.
Voltage	230V, 50Hz
Protection	IP68, Class I
Warranty	2 years

2. Velto Thermostatic Control

Warm your towels whilst heating your room to a precise temperature with 24/7 programming and a handy boost mode.

- Simple 4-Button Control Panel
- 24/7 Programming
- Power-Saving Boost Mode
- Room & Radiator Temperature Control
- 2 Year Guarantee

Control Head Dimensions	70x58x45 (HxWxD)
Colours	Chrome, Anthracite, Black, White
Flex	2m cable, left or right side, depending on where element is installed. Element arrives separately.
Installation	Hardwired professional installation only. No fitted plug.
Voltage	230V, 50Hz
Protection	IP44, Class I
Warranty	2 years

3. TriQ WiFi Control

Combining advanced WiFi app control with intuitive touchscreen functionality, the TriQ WiFi Heating Element makes your Scala as smart as it is stylish.

- Dual-Orientation Touchscreen Display
- WiFi App Control from Anywhere
- 24/7 Programming & Smart Heating Modes
- Boost Mode with Adjustable Timer
- Dual Room & Internal Temperature Control

Control Head Dimensions	66x66x50mm (WxHxD)
Colours	Chrome
Flex	1.2m cable, left or right side, depending on where element is installed. Element arrives separately.
Installation	Plug fitted Hardwired professional installation in bathrooms.
Voltage	Voltage 220-240V, 50Hz
Protection	IPX4, Class I
Warranty	2 years



1.



2.



3.

Scala Towel Rail Models & Sizes

	1. Basic Control				2. Velto Thermostatic Control				3. TriQ WiFi Element			
Model	SC-40-C	SC-40-A	SC-60-C	SC-60-A	SC-V-40-C	SC-V-40-A	SC-V-60-C	SC-V-60-A	SC-3Q-40-C	SC-3Q-40-A	SC-3Q-60-C	SC-3Q-60-A
SKU	12502318	12502317	12502320	12502319	12503072	12503070	12503071	12503069	12503096	12503094	12503095	12503093
Colour	Chrome	Anthracite	Chrome	Anthracite	Chrome	Anthracite	Chrome	Anthracite	Chrome	Anthracite	Chrome	Anthracite
Element Colour	Chrome	Anthracite	Chrome	Anthracite	Chrome	Anthracite	Chrome	Anthracite	Chrome	Chrome	Chrome	Chrome
Bars	14		19		14		19		14		19	
Wattage (w)	400		600		400		600		400		600	
Width (mm)	500		500		500		500		500		500	
Height (mm)	800		1200		800		1200		800		1200	
Depth (mm)	42		42		42		42		42		42	
Fitted Depth (mm)	95		95		95		95		95		95	
Product Weight (kg)	11.1		16.13		11.1		16.13		11.1		16.13	
Room Size - Max (m2)*	3		5		3		5		3		5	
Room Size - Min (m2)*	2		3.5		2		3.5		2		3.5	