




Vanto

Electric Towel Rail

The Ecostrad Vanto electric towel rail is designed for bathrooms that favour clean lines and understated contemporary styling. Its evenly spaced flat bars create a more streamlined look, while the open-sided layout keeps towel storage practical and easy to access day to day. Using heat-retentive thermal fluid, the Vanto delivers steady, comfortable heat that helps keep bathrooms warmer for longer. Available with manual, thermostatic, and WiFi-controlled options, it offers flexible heating control to suit a variety of spaces and routines.



Open-Sided
Bar Design



Multiple Control
Options



Standalone
Bathroom
Heating



Room Heating &
Towel Drying



WiFi App
Available



5 Year
Warranty



Technical Details

Design	Vertical bar profile: 30x30 mm Horizontal bar profile: 40x20 mm. Steel
Colours	Chrome, Black
Element	Ecostrad Standard, Ecostrad Velto Thermostatic or Ecostrad TriQ WiFi element. Left or right side. Arrives separately
Installation	Hardwired professional installation in bathrooms.
Warranty	5 years on towel rail body, 2 years on electronics
Certifications	CE UK CA



1.



2.



3.

Towel Rail Control Options

Ecostrad Vanto Electric Towel Rails can be paired with one of three heating elements, to ensure the perfect control for your bathroom's heating needs.

1. Basic Control

This element heats to a constant, non-adjustable set temperature, making it ideal for connecting to a simple on/off switch or an external heating controller.

- Overheating Protection
- Heats to an internal temperature of 65 °C
- Perfect for External Control
- IP68 Rating for Superior Water Protection
- 2 Year Guarantee

Control Head Dimensions	34x28x28 (HxWxD)
Colours	Chrome, Anthracite
Flex	1.2m cable, left or right side, depending on where element is installed. Element arrives separately.
Installation	Hardwired professional installation only. No fitted plug.
Voltage	230V, 50Hz
Protection	IP68, Class I
Warranty	2 years

2. Velto Thermostatic Control

Warm your towels whilst heating your room to a precise temperature with 24/7 programming and a handy boost mode.

- Simple 4-Button Control Panel
- 24/7 Programming
- Power-Saving Boost Mode
- Room & Radiator Temperature Control
- 2 Year Guarantee

Control Head Dimensions	70x58x45 (HxWxD)
Colours	Chrome, Anthracite, Black, White
Flex	2m cable, left or right side, depending on where element is installed. Element arrives separately.
Installation	Hardwired professional installation only. No fitted plug.
Voltage	230V, 50Hz
Protection	IP44, Class I
Warranty	2 years

3. TriQ WiFi Control

Combining advanced WiFi app control with intuitive touchscreen functionality, the TriQ WiFi Heating Element makes your Vanto as smart as it is stylish.

- Dual-Orientation Touchscreen Display
- WiFi App Control from Anywhere
- 24/7 Programming & Smart Heating Modes
- Boost Mode with Adjustable Timer
- Dual Room & Internal Temperature Control

Control Head Dimensions	66x66x50mm (WxHxD)
Colours	Chrome
Flex	1.2m cable, left or right side, depending on where element is installed. Element arrives separately.
Installation	Plug fitted Hardwired professional installation in bathrooms.
Voltage	Voltage 220-240V, 50Hz
Protection	IPX4, Class I
Warranty	2 years



1.



2.



3.

Vanto Towel Rail Models & Sizes

	1. Basic Control				2. Velto Thermostatic Control				3. TriQ WiFi Control			
Model	VA-ST-08-2C	VA-ST-11-4C	VA-ST-08-3B	VA-ST-11-6B	VA-VE-08-2C	VA-VE-11-4C	VA-VE-08-3B	VA-VE-11-6B	VA-3Q-08-2C	VA-3Q-11-4C	VA-3Q-08-3B	VA-3Q-11-6B
SKU	12503557	12503558	12503559	12503560	12503565	12503566	12503567	12503568	12503573	12503574	12503575	12503576
Colour	Chrome	Chrome	Black	Black	Chrome	Chrome	Black	Black	Chrome	Chrome	Black	Black
Element Colour	Chrome	Chrome	Black	Black	Chrome	Chrome	Black	Black	Chrome	Chrome	Chrome	Chrome
Bars	6	8	6	8	6	8	6	8	6	8	6	8
Wattage (w)	200	400	300	600	200	400	300	600	200	400	300	600
Width (mm)	500	500	500	500	500	500	500	500	500	500	500	500
Height (mm)	800	1150	800	1150	800	1150	800	1150	800	1150	800	1150
Depth (mm)	62	62	62	62	62	62	62	62	62	62	62	62
Fitted Depth (mm)	106	106	106	106	106	106	106	106	106	106	106	106
Product Weight (kg)	10.15	14.09	10.15	14.09	10.15	14.09	10.15	14.09	10.15	14.09	10.15	14.09
Room Size - Max (m2)*	2.5	3.5	3	2	2.5	3.5	3	2	2.5	3.5	3	2
Room Size - Min (m2)*	1.5	2.5	5	3.5	1.5	2.5	5	3.5	1.5	2.5	5	3.5